

# **MOTIVE 31-AGM**

MODEL 31-AGM

VOLTAGE 12

CAPACITY 100Ah @ 20Hr MATERIAL Polypropylene

BATTERY VRLA AGM / Non-Spillable / Maintenance-Free

COLOR Maroon

WATERING No Watering Required







## **12 VOLT**

#### **PHYSICAL SPECIFICATIONS**

BCI	MODEL NAME	TERMINAL TYPE	DIMENSIONS © INCHES (mm)			WEIGHT   LBS. (kg)	HANDLES	INSTALLATION ORIENTATION
04			LENGTH	WIDTH	HEIGHTF	<b>0-</b> (0.0)	<b></b>	Horizontal and Vertical
31	31-AGM	M8/DT	12.80 (325)	6.81 (173)	9.37 (238)	67 (30)	Plastic Handle	

#### **ELECTRICAL SPECIFICATIONS**

VOLTAGE	CRANKING PE	RFORMANCE	CAPACITY A MINUTES		CAPACITY <sup>B</sup> AN	IP-HOURS (Ah)	)	ENERGY (kWh)	INTERNAL RESISTANCE (mΩ)	SHORT CIRCUIT CURRENT (amps)
12	C.C.A. <sup>D</sup> @0°F	C.A. <sup>E</sup> @32°F	@ 25 Amps	5-Hr	10-Hr	20-Hr	100-Hr	100-Hr	4.80	2555
12	600	720	177	82	92	100	111	1.33	4.00	

#### **CHARGING INSTRUCTIONS**

CHARGER VOLTAGE SETTINGS (AT 77°F/25°C)						
SYSTEM VOLTAGE	12V	24V	36V	48V		
Maximum Charge Current (A)	20% of $C_{\scriptscriptstyle 20}$					
Absorption Voltage (2.40 V/cell)	14.40	28.80	43.20	57.60		
Float Voltage (2.25 V/cell)	13.50	27.00	40.50	54.00		

Do not install or charge batteries in a sealed or non-ventilated compartment. Constant under or overcharging will damage the battery and shorten its life as with any battery.

#### **CHARGING TEMPERATURE COMPENSATION**

ADD	SUBTRACT
0.005 volt per cell for every 1°C below 25°C 0.0028 volt per cell for every 1°F below 77°F	0.005 volt per cell for every 1°C above 25°C 0.0028 volt per cell for every 1°F above 77°F

#### **OPERATIONAL DATA**

OPERATING TEMPERATURE	SELF DISCHARGE
-4°F to 122°F (-20°C to +50°C). At temperatures below 32°F (0°C) maintain a state of charge greater than 60%.	Less than 3% per month depending on storage temperature conditions

#### **RECYCLE RESPONSIBLY**








#### **STATE OF CHARGE MEASURE OF OPEN-CIRCUIT VOLTAGE**

PERCENTAGE CHARGE	CELL	12 VOLT
100	2.14	12.84
75	2.09	12.54
50	2.04	12.24
25	1.99	11.94
0	1.94	11.64


#### **TROJAN 31-AGM PERFORMANCE**




#### PERCENT CAPACITY VS. TEMPERATURE




#### **BATTERY DIMENSIONS** (shown with DT)



#### SELF DISCHARGE VS. TIME





### TERMINAL TYPE

15	M8	M8
		Battery Height with Terminal in Inches (mm) 8.69 (221) Torque Values in-Ib (Nm) Bolt: 85 – 90 (10 – 11)

6	DT	AUTOMOTIVE POST & STUD
		Battery Height with Terminal in Inches (mm) 9.37 (238)
Q		Torque Values in-lb (Nm) Connected to Stud: 95 – 105 (11 – 12) Connected to AP: 50 – 70 (6 – 8)
		<b>Bolt Size</b> 5/16" – 18

- A. The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are

- The funitive of minitives a detecty can deliver when discharged at a constant rate at 0°F (27°C) and filaminant avoitage above 1.75 Viceli. Capacitis based on peak performance.

  The amount of amp-hours (Ah) a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 Viceli. Capacitis are based on peak performance.

  Dimensions may vary depending on type of handle or terminal. Batteries should be mounted with 0.5 inches (12.7 mm) spacing minimum.

  C.C.A. (Cold Cranking Amps) the discharge load in amperes which a new, fully charged battery can maintain for 30 seconds at 0°F (-18°C) at a voltage above 1.2 Viceli.
- E. C.A. (Cranking Amps) the discharge load in amperes which a new, fully charged battery can maintain for 30 seconds at 32°F (0°C) at a voltage above 1.2 CAL Clothoning Analysis the deschalege load in amperes which a reversible place of a replace of the control of

- H. Batteries in storage should be charged when they decline to 75% State of Charge (SOC).
- Weight may vary.











Designed in compliance with applicable BCI, DIN, BS and IEC standards. Tested in compliance to BCI and IEC standards.

